



The Signature of Quality[®]



PRODUCT PORTFOLIO

The Leader In Fresh Food Display Cases

February 2026



The Signature of Quality

DRY Dry

Heated

Refrigerated

ITALIAN GLASS SERIES

Page 4	Dry & Refrigerated Service Bakery & Deli
Page 5	Dry & Refrigerated Self-Serve Bakery & Deli
Page 6	Dry & Refrigerated Self-Serve & Service Countertop Bakery & Deli
Page 7	Heated Base & Countertop Service Bakery & Deli

CURVED GLASS SERIES

Pages 8–9	Bakery & Deli
-----------	---------------

STRAIGHT GLASS SERIES

Pages 10–11	Bakery & Deli
-------------	---------------

VISION SERIES

Pages 12–13	Self-Serve Dry & Refrigerated
Page 14	Self-Serve Heated
Page 15	Self-Serve Heated, Dry, & Refrigerated Slide-In
Page 16	Self-Serve Flex Floor & Slide-In
Page 17	Self-Serve Refrigerated Slim-Line
Page 18	Self-Serve Refrigerated Milk

SPECIALTY DISPLAY CASES

Page 19	Multi-Purpose Milk
Page 19	High-Profile Multi-Deck
Page 20	Low Profile
Page 21	Island
Page 22	End Cap
Page 23	Hybrid
Page 24	Convertible Service Over Refrigerated Self-Serve
Page 25	Prepared Foods
Page 26	Versatile Service Top
Page 27	Sandwich or Salad Prep Over Refrigerated
Page 28	Countertop

UNDER-COUNTER & IN-COUNTER DISPLAY CASES

Page 28	Under-Counter/In-Counter Refrigerated Self-Serve
---------	--

QUICK SHIP AND ELEMENTS DISPLAY CASES

Page 30	Vision Series Quick-Ship
Page 30	Elements Countertop
Page 30	Elements Low Profile
Page 30	Elements Convertible Self Serve Over Refrigerated Self-Serve
Page 30	Elements Island

DISPLAY CASE APPLICATIONS

Page 31	Display Case Application Images
---------	---------------------------------



The Signature of Quality®

In today's competitive market, making your food, snacks, and beverages stand out is essential. **Federal Industries** offers premium display cases, meticulously designed to showcase your bakery items, deli products, and grab-and-go options in the most appealing way.

Recognizing that every store has unique needs, **Federal Industries** provides customizable display cases that seamlessly integrate with your decor and specific requirements. Whether you need refrigerated, dry, or heated display cases in service or self-serve styles, we engineer solutions that deliver exceptional performance and meet all industry standards.

Our rigorous testing ensures reliability and ease of maintenance, allowing you to focus on what matters most: serving your customers. With **Federal Industries'** expertly crafted display solutions, you can create an eye-catching presentation that enhances the customer experience and boosts sales.

Trust **Federal Industries** to deliver the innovation, customization, and expert craftsmanship you need to stay ahead of the competition.

ANTI-MICROBIAL POWDER COATING

Federal Industries has added anti-microbial technology to its powder coating. This new technology slowly uses silver ions, which help protect the cured paint film from the growth of microbes. This process helps in preventing discoloration, unpleasant odors, and degradation/corrosion, caused by the build-up of bacteria on coated surfaces. It is exceptionally durable and resistant to elevated temperatures (up to 100°C), even if the surface has been subjected to wear and exterior exposure.

*Antimicrobial is limited to the treated surface. Visit our website at www.federalind.com for more information

WARRANTY AND PARTS

Please visit our website at: www.federalind.com/warranty

NON-WARRANTY PARTS SALES

Federal Industries is proud to partner with Parts Town for all your non-warranty parts sales. Whether it's part identification, pricing, or lead times, Parts Town is your source for Genuine Federal Industries parts.

Toll Free 800-438-8898 • Fax 888-513-0259
Email: customerservice@partstown.com



The Signature of Quality



Model ITR4834-B18



Model ITD4834-B18



Model ITD3634-B18

ITALIAN GLASS SERIES

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
-------	-------------	------------	-------------

REFRIGERATED SERVICE ❄️

ITR3626-B18	36" x 30.75" x 44"	120/60/1	625
ITR4826-B18	48" x 30.75" x 44"	120/60/1	680
ITR6026-B18	60" x 30.75" x 44"	120/60/1	820
ITR3634-B18	36" x 30.75" x 52"	120/60/1	650
ITR4834-B18	48" x 30.75" x 52"	120/60/1	820
ITR6034-B18	60" x 30.75" x 52"	120/60/1	930

DRY SERVICE 🔥

ITD3626-B18	36" x 30.75" x 44"	120/60/1	550
ITD4826-B18	48" x 30.75" x 44"	120/60/1	640
ITD6026-B18	60" x 30.75" x 44"	120/60/1	815
ITD3634-B18	36" x 30.75" x 52"	120/60/1	575
ITD4834-B18	48" x 30.75" x 52"	120/60/1	771
ITD6034-B18	60" x 30.75" x 52"	120/60/1	773

OPTIONS

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)

Stainless Steel Exterior

6" Legs

6" Legs with Skirt

Recessed Casters (Includes Cord and Plug)

4" Caster (Includes Cord and Plug)

Seismic Legs

Reflective Sliding Glass Rear Doors (Pair)

Front Air Intake and Discharge (N/A Dry Display Cases)

Remote Refrigeration with Indoor Condensing Unit

Remote Refrigeration with Outdoor Condensing Unit (EEV Included)

Remote Refrigeration without Compressor (EEV Included)

All 17" Deep Shelves

Stainless Steel Shelving (Per Tier)

Reflective Glass Ends (Pair)

Joining Kit for Continuous Line-Ups

Available with Dividers Only (N/A with Casters)

Cord and Plug (Standard on ITD Models)

Front Glass Lock Set

Rear Wrap Board

DRY Dry
 🔥 Heated
 ❄️ Refrigerated

All specifications subject to change without notice.

ITALIAN GLASS SERIES

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE (OPEN FRONT) ❄️			
ITRSS3626-B18	36" x 33" x 44"	120/60/1	625
ITRSS4826-B18	48" x 33" x 44"	120/60/1	680
ITRSS6026-B18	60" x 33" x 44"	208-240/60/1	820
ITRSS3634-B18	36" x 33" x 52"	120/60/1	650
ITRSS4834-B18	48" x 33" x 52"	120/60/1	800
ITRSS6034-B18	60" x 33" x 52"	208-240/60/1	930
DRY SELF-SERVE (OPEN FRONT) 🔥			
ITDSS3626F-B18	36" x 30.75" x 44"	120/60/1	550
ITDSS4826F-B18	48" x 30.75" x 44"	120/60/1	640
ITDSS6026F-B18	60" x 30.75" x 44"	120/60/1	700
ITDSS3634F-B18	36" x 30.75" x 52"	120/60/1	575
ITDSS4834F-B18	48" x 30.75" x 52"	120/60/1	690
ITDSS6034F-B18	60" x 30.75" x 52"	120/60/1	800
DRY SELF-SERVE (FRONT SLIDING DOORS) 🔥			
ITDSS3626-B18	36" x 30.75" x 44"	120/60/1	550
ITDSS4826-B18	48" x 30.75" x 44"	120/60/1	640
ITDSS6026-B18	60" x 30.75" x 44"	120/60/1	700
ITDSS3634-B18	36" x 30.75" x 52"	120/60/1	575
ITDSS4834-B18	48" x 30.75" x 52"	120/60/1	690
ITDSS6034-B18	60" x 30.75" x 52"	120/60/1	800
OPTIONS			
Laminate Base			
Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)			
Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)			
Stainless Steel Exterior			
6" Legs			
6" Legs with Skirt			
Recessed Casters (Includes Cord and Plug)			
4" Caster (Includes Cord and Plug)			
Seismic Legs			
Reflective Sliding Glass Rear Doors (Pair)			
Front Air Intake and Discharge (N/A Dry Display Cases)			
Remote Refrigeration with Indoor Condensing Unit			
Remote Refrigeration with Outdoor Condensing Unit (EEV Included)			
Remote Refrigeration without Compressor (EEV Included)			
All 17" Deep Shelves (N/A on ITRSS Models)			
Stainless Steel Shelving (Per Tier)			
Reflective Glass Ends (Pair)			
Joining Kit for Continuous Line-Ups			
Available with Dividers Only (N/A with Casters)			
Cord and Plug (Standard on ITDSS Models)			
Rear Wrap Board			
Security Cover (Includes Rear Door Lock) (ITRSS Only)			



Model ITRSS4834-B18 - Open Front



Model ITDSS4834-B18 - Front Sliding Doors



The Signature of Quality



Model ITRSS4834 - Open Front Counter not included



Model ITDSS4834 - Front Sliding Doors



Model ITD4826 Counter not included

ITALIAN GLASS SERIES

COUNTERTOPS

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
-------	-------------	------------	-------------

REFRIGERATED SELF-SERVE (OPEN FRONT) – DROP-IN ❄️

ITRSS3626	36" x 33" x 26"	120/60/1	537
ITRSS4826	48" x 33" x 26"	120/60/1	720
ITRSS6026	60" x 33" x 26"	208-240/60/1	800
ITRSS3634	36" x 33" x 34"	120/60/1	586
ITRSS4834	48" x 33" x 34"	120/60/1	770
ITRSS6034	60" x 33" x 34"	208-240/60/1	850

DRY SELF-SERVE (OPEN FRONT) DRY

ITDSS3626F	36" x 30" x 26"	120/60/1	250
ITDSS4826F	48" x 30" x 26"	120/60/1	325
ITDSS6026F	60" x 30" x 26"	120/60/1	450
ITDSS3634F	36" x 30" x 34"	120/60/1	275
ITDSS4834F	48" x 30" x 34"	120/60/1	350
ITDSS6034F	60" x 30" x 34"	120/60/1	475

DRY SELF-SERVE (FRONT SLIDING DOORS) DRY

ITDSS3626	36" x 30" x 26"	120/60/1	350
ITDSS4826	48" x 30" x 26"	120/60/1	410
ITDSS6026	60" x 30" x 26"	120/60/1	550
ITDSS3634	36" x 30" x 34"	120/60/1	500
ITDSS4834	48" x 30" x 34"	120/60/1	450
ITDSS6034	60" x 30" x 34"	120/60/1	625

REFRIGERATED SERVICE – DROP-IN ❄️

ITR3626	36" x 30" x 26"	120/60/1	558
ITR4826	48" x 30" x 26"	120/60/1	720
ITR6026	60" x 30" x 26"	120/60/1	800
ITR3634	36" x 30" x 34"	120/60/1	696
ITR4834	48" x 30" x 34"	120/60/1	841
ITR6034	60" x 30" x 34"	120/60/1	850

DRY SERVICE DRY

ITD3626	36" x 30" x 26"	120/60/1	359
ITD4826	48" x 30" x 26"	120/60/1	410
ITD6026	60" x 30" x 26"	120/60/1	550
ITD3634	36" x 30" x 34"	120/60/1	407
TD4834	48" x 30" x 34"	120/60/1	450
ITD6034	60" x 30" x 34"	120/60/1	625

OPTIONS

- Reflective Sliding Glass Rear Doors (Pair)
- Remote Refrigeration with Indoor Condensing Unit
- Remote Refrigeration with Outdoor Condensing Unit (EEV Included)
- Remote Refrigeration without Compressor (EEV Included)
- All 17" Deep Shelves (N/A on ITRSS Models)
- Stainless Steel Shelving (Per Tier)
- Reflective Glass Ends (Pair)
- Joining Kit for Continuous Line-Ups
Available with Dividers Only
- Cord and Plug (Standard on ITDSS Models)
- Front Glass Lock Set (N/A on ITRSS and ITDSS)
- Security Cover (Includes Rear Door Lock) (ITRSS Only)

DRY Dry
🔥 Heated
❄️ Refrigerated

ITALIAN GLASS SERIES

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
HEATED SERVICE 			
ITH3626-B18	36 x 30.75 x 44	208-240/60/1	625
ITH4826-B18	48 x 30.75 x 44	208-240/60/1	680
ITH6026-B18	60 x 30.75 x 44	208-240/60/1	820
ITH3634-B18	36 x 30.75 x 52	208-240/60/1	650
ITH4834-B18	48 X 30.75 X 52	208-240/60/1	820
ITH6034-B18	60 X 30.75 X 52	208-240/60/1	930
HEATED SERVICE COUNTERTOP 			
ITH3626	36 x 30 x 26	208-240/60/1	558
ITH4826	48 X 30 X 26	208-240/60	720
ITH6026	60 X 30 X 26	208-240/60/1	800
ITH3634	36 X 30 X 34	208-240/60/1	696
ITH4834	48 X 30 X 34	208-240/60/1	841
ITH6034	60 X 30 X 34	208-240/60/1	850

OPTIONS

- Laminate Base
 - Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
 - Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
- Stainless Steel Exterior (N/A Countertop Display Cases)
- 6" Legs (N/A Countertop Display Cases)
- 6" Legs with Skirt (N/A Countertop Display Cases)
- Recessed Casters (Includes Cord and Plug)
- 4" Caster (Includes Cord and Plug) (N/A Countertop Display Cases)
- Seismic Legs (N/A Countertop Display Cases)
- Reflective Sliding Glass Rear Doors (Pair)
- Stainless Steel Shelving 21"
- Reflective Glass Ends (Pair)
- Joining Kit for Continuous Line-Ups
 - Available with Dividers Only (N/A with Casters)
- Front Glass Lock Set
- Rear Wrap Board (N/A Countertop Display Cases)
- Glass Shelving
- Humidity Package



Model ITH4834-B18
Shown with optional glass shelves



Model ITH4826 - Counter not included. Shown with optional glass shelves



The Signature of Quality



Model CGR5048



Model CGD7748



Model CG5048HD



Model CGR7748CD

CURVED GLASS SERIES

Bakery Display Cases

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SERVICE ❄️			
CGR3642	36" x 35.31" x 42"	120/60/1	470
CGR3648	36" x 35.31" x 48"	120/60/1	510
CGR5042	50" x 35.31" x 42"	120/60/1	615
CGR5048	50" x 35.31" x 48"	120/60/1	721
CGR5942	59" x 35.31" x 42"	120/60/1	735
CGR5948	59" x 35.31" x 48"	120/60/1	821
CGR7742	77" x 35.31" x 42"	120/60/1	890
CGR7748	77" x 35.31" x 48"	120/60/1	930

DRY SERVICE 🔥

CGD3642	36" x 35.31" x 42"	120/60/1	385
CGD3648	36" x 35.31" x 48"	120/60/1	430
CGD5042	50" x 35.31" x 42"	120/60/1	671
CGD5048	50" x 35.31" x 48"	120/60/1	625
CGD5942	59" x 35.31" x 42"	120/60/1	505
CGD5948	59" x 35.31" x 48"	120/60/1	535
CGD7742	77" x 35.31" x 42"	120/60/1	685
CGD7748	77" x 35.31" x 48"	120/60/1	715

DUAL SERVICE VERTICAL (Left Half Refrigerated, Right Half Dry, from Customer Side) ❄️ 🔥

CGR5042DZ	50" x 35.31" x 42"	120/60/1	615
CGR5048DZ	50" x 35.31" x 48"	120/60/1	690
CGR5942DZ	59" x 35.31" x 42"	120/60/1	735
CGR5948DZ	59" x 35.31" x 48"	120/60/1	783
CGR7742DZ	77" x 35.31" x 42"	120/60/1	890
CGR7748DZ	77" x 35.31" x 48"	120/60/1	960

Deli Display Cases

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SERVICE ❄️			
CGR3648CD	36" x 35.31" x 48"	120/60/1	470
CGR5048CD	50" x 35.31" x 48"	120/60/1	620
CGR5948CD	59" x 35.31" x 48"	120/60/1	650
CGR7748CD	77" x 35.31" x 48"	120/60/1	995
HEATED SERVICE 🔥			
CG5048HD	50" x 35.31" x 48"	208-240/60/1 (4 wire)	585
CG5948HD	59" x 35.31" x 48"	208-240/60/1 (4 wire)	660
CG7748HD	77" x 35.31" x 48"	208-240/60/1 (4 wire)	800

Continued on next page >

DRY Dry 🔥 Heated ❄️ Refrigerated

All specifications subject to change without notice.



The Signature of Quality

CURVED GLASS SERIES

OPTIONS

Laminate Base
Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
Laminated Flush Ends In Lieu of Removable End Panels
Plain Base without Laminate
Rear Base Panel Cover (CGD Models Only)
Stainless Steel in Lieu of Laminate
2 1/2" Casters (Includes Cord and Plug) (Not Available on Heated Deli)
4" Casters (Includes Cord and Plug) (Not Available on Heated Deli)
4" Casters with Skirt (Includes Cord and Plug) (Not Available on Heated Deli)
6" Legs
6" Legs with Skirt
Seismic Legs
Black Interior (N/A on Refrigerated Deli and Heated Deli Models)
Stainless Steel Display Deck
Reflective Glass Rear Doors (Pair)
HDP – Heated Display Package with Humidity for Dry Units
36", 59", 77" Units
Fan Kit (CGD Models Only)
Rear Air Intake and Discharge (N/A on CGD and Heated Deli)
Remote Refrigeration with Indoor Condensing Unit (EEV Included)
Remote Refrigeration with Outdoor Condensing Unit (EEV Included)
Remote Refrigeration without Compressor Supplied (EEV Included)
Black Wire Shelves In Lieu of White
Chrome Wire Shelves In Lieu of White
Deli Step Riser or Pan Holder (Per Section) (N/A Heated Deli)
Glass Shelves In Lieu of Wire (Per Tier) (N/A Heated Deli)
Lighted Mezzanine Shelf for Refrigerated Deli, Additional
Reflective Glass Ends (Pair)
White Interior Ends with Laminated Exterior
Mirrored Interior Ends with Laminated Exterior
Joining Kit for Continuous Display Case Line-ups (N/A with Casters)
Cord and Plug (Not Available on Heated Deli)
Front Package Shelf with LED Light
Front Package Shelf without Light
Locks (Front and Rear Door)
Rear Wrapping Board for Bakery Display Cases
Scale Stand
Top Cutting Board (White)



The Signature of Quality



Model SGD7748 / Model SGR5948



Model SGR5048DZ



Model SG5048HD
Model SGR7748CD

STRAIGHT GLASS SERIES

Bakery Display Cases

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SERVICE ❄️			
SGR3642	36" x 35.31" x 42"	120/60/1	470
SGR3648	36" x 35.31" x 48"	120/60/1	510
SGR5042	50" x 35.31" x 42"	120/60/1	615
SGR5048	50" x 35.31" x 48"	120/60/1	603
SGR5942	59" x 35.31" x 42"	120/60/1	806
SGR5948	59" x 35.31" x 48"	120/60/1	765
SGR7742	77" x 35.31" x 42"	120/60/1	890
SGR7748	77" x 35.31" x 48"	120/60/1	930

DRY SERVICE

 🔥

SGD3642	36" x 35.31" x 42"	120/60/1	400
SGD3648	36" x 35.31" x 48"	120/60/1	450
SGD5042	50" x 35.31" x 42"	120/60/1	550
SGD5048	50" x 35.31" x 48"	120/60/1	575
SGD5942	59" x 35.31" x 42"	120/60/1	540
SGD5948	59" x 35.31" x 48"	120/60/1	555
SGD7742	77" x 35.31" x 42"	120/60/1	685
SGD7748	77" x 35.31" x 48"	120/60/1	715

DUAL SERVICE (Left Half Refrigerated, Right Half Dry, from Customer Side)

 ❄️ 🔥

SGR5042DZ	50" x 35.31" x 42"	120/60/1	688
SGR5048DZ	50" x 35.31" x 48"	120/60/1	730
SGR5942DZ	59" x 35.31" x 42"	120/60/1	735
SGR5948DZ	59" x 35.31" x 48"	120/60/1	765
SGR7742DZ	77" x 35.31" x 42"	120/60/1	890
SGR7748DZ	77" x 35.31" x 48"	120/60/1	930

Deli Display Cases

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SERVICE ❄️			
SGR3648CD	36" x 35.31" x 48"	120/60/1	590
SGR5048CD	50" x 35.31" x 48"	120/60/1	620
SGR5948CD	59" x 35.31" x 48"	120/60/1	650
SGR7748CD	77" x 35.31" x 48"	120/60/1	860

HEATED SERVICE

 🔥

SG5048HD	50" x 35.31" x 48"	208-240/60/1 (4 wire)	535
SG5948HD	59" x 35.31" x 48"	208-240/60/1 (4 wire)	660
SG7748HD	77" x 35.31" x 48"	208-240/60/1 (4 wire)	800

Continued on next page >

🔥 Dry 🔥 Heated ❄️ Refrigerated

STRAIGHT GLASS SERIES

OPTIONS

Laminate Base
Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
Laminated Flush Ends In Lieu of Removable End Panels
Plain Base without Laminate
Rear Base Panel Cover (SGD Models Only)
Stainless Steel in Lieu of Laminate
2 1/2" Casters (Includes Cord and Plug) (Not Available on Heated Deli)
4" Casters (Includes Cord and Plug) (Not Available on Heated Deli)
4" Casters with Skirt (Includes Cord and Plug) (Not Available on Heated Deli)
6" Legs
6" Legs with Skirt
Seismic Legs
Black Interior (N/A on Refrigerated Deli and Heated Deli Models)
Stainless Steel Display Deck
Reflective Glass Rear Doors (Pair)
HDP – Heated Display Package with Humidity for Dry Units
36", 50", 59", 77" Units
Fan Kit (SGD Models Only)
Rear Air Intake and Discharge (N/A on SGD and Heated Deli)
Remote Refrigeration with Indoor Condensing Unit (EEV Included)
Remote Refrigeration with Outdoor Condensing Unit (EEV Included)
Remote Refrigeration without Compressor Supplied (EEV Included)
Black Wire Shelves In Lieu of White
Chrome Wire Shelves In Lieu of White
Deli Step Riser or Pan Holder (Per Section) (N/A Heated Deli)
Glass Shelves In Lieu of Wire (Per Tier) (N/A Heated Deli)
Lighted Mezzanine Shelf for Refrigerated Deli, Additional
Reflective Glass Ends (Pair)
White Interior Ends with Laminated Exterior
Mirrored Interior Ends with Laminated Exterior
Joining Kit for Continuous Display Case Line-ups (N/A with Casters)
Cord and Plug (Not Available on Heated Deli)
Front Package Shelf with LED Light
Front Package Shelf without Light
Locks (Front and Rear Door)
Rear Wrapping Board for Bakery Display Cases
Scale Stand
Top Cutting Board (White)



The Signature of Quality



Model VRSS3660C



Model VRSS7278C

VISION SERIES

Square (S) or Curved (C) End Profile

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
-------	-------------	------------	-------------

REFRIGERATED SELF-SERVE ❄️

VRSS3660S / VRSS3660C	36" x 33" x 60"	120/60/1	490
VRSS4860S / VRSS4860C	47.25" x 33" x 60"	208-240/60/1	580
VRSS6060S / VRSS6060C	59.25" x 33" x 60"	208-240/60/1	710
VRSS7260S / VRSS7260C	71.25" x 33" x 60"	208-240/60/1	800
VRSS3678S / VRSS3678C	36" x 33" x 78"	120/60/1	695
VRSS4878S / VRSS4878C	47.25" x 33" x 78"	208-240/60/1	775
VRSS6078S / VRSS6078C	59.25" x 33" x 78"	208-240/60/1	985
VRSS7278S / VRSS7278C	71.25" x 33" x 78"	208-240/60/1	1040

DRY SELF-SERVE 🚰

VNSS3660S / VNSS3660C	36" x 33" x 60"	120/60/1	445
VNSS4860S / VNSS4860C	47.25" x 33" x 60"	120/60/1	535
VNSS6060S / VNSS6060C	59.25" x 33" x 60"	120/60/1	665
VNSS7260S / VNSS7260C	71.25" x 33" x 60"	120/60/1	755
VNSS3678S / VNSS3678C	36" x 33" x 78"	120/60/1	655
VNSS4878S / VNSS4878C	47.25" x 33" x 78"	120/60/1	735
VNSS6078S / VNSS6078C	59.25" x 33" x 78"	120/60/1	940
VNSS7278S / VNSS7278C	71.25" x 33" x 78"	120/60/1	995

OPTIONS

Graphics Package

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)

Stainless Steel Exterior Finish

4" Casters

4" Casters with Skirt

6" Legs

6" Legs with Skirt

Recessed Casters

Seismic Legs, 6"

Slanted Milk Crate Deck

Stainless Steel Interior (Including Shelving)

White Interior (Including Shelving)

Clear Sliding Rear Doors (Solid Hinged on 36" Display Cases)

Reflective Sliding Rear Doors (Solid Hinged on 36" Display Cases)

Condensate Evaporator Assembly (Field Install)

Continued on next page >



Dry



Heated



Refrigerated

VISION SERIES

- Remote Refrigeration With Indoor Condensing Unit (EEV and Condensate Pump Included)
- Remote Refrigeration With Outdoor Condensing Unit (EEV and Condensate Pump Included)
- Remote Refrigeration Without Compressor (EEV and Condensate Pump Included)
- Additional Lighted (LED) Shelf
- Additional Painted Shelf (Per Tier, No Light)
- Additional Stainless Steel Shelf (Per Tier, No Light)
- Stainless Steel Shelving (In Lieu of Black) per Shelf
- Glass Shelving (In Lieu of Black) per Shelf
- LED Lights Below Shelves
- Reflective End Glass - Curved (Pair)
- Reflective End Glass - Square (Pair)
- Solid End Panels (Mirrored) (Pair)
- Joining Kit, Heated to Refrigerated (Solid with Mirrored Panel)
- Joining Kit for Continuous Line-Ups (N/A with Casters)
- Joining Kit for Continuous Line-Ups (N/A with Casters) with Glass Divider
- Joining Kit for Continuous Line-Ups (N/A with Casters) with Solid Divider
- Front Cart Bumper
- Front Wire Basket (Dry Goods Only)
- Peg Hooks (Per Tier)
- Removable Security Cover (Black Polycarbonate)
- Roll-Down Security Cover (Square End Profile) (Black)
- Roll-Down Security Cover (Square End Profile) (White)
- Roll-Down Security Cover (Square End Profile) (Gray)
- Self-Cleaning Condenser



Model VRSS4878S
Shown with graphic wrap



The Signature of Quality



Model VHSS3678S



Model VHSS3678C
Shown with graphic wrap

VISION SERIES

Square (S) or Curved (C) End Profile

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
HEATED SELF-SERVE 			
VHSS2460S / VHSS2460C	24" x 33" x 60"	208-240/60/1	310
VHSS3660S / VHSS3660C	36" x 33" x 60"	208-240/60/1	355
VHSS4860S / VHSS4860C	47.25" x 33" x 60"	208-240/60/1	490
VHSS2478S / VHSS2478C	24" x 33" x 78"	208-240/60/1	510
VHSS3678S / VHSS3678C	36" x 33" x 78"	208-240/60/1	555
VHSS4878S / VHSS4878C	47.25" x 33" x 78"	208-240/60/1	580

OPTIONS

Graphics Package

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)

Stainless Steel Exterior Finish

4" Casters

4" Casters with Skirt

6" Legs

6" Legs with Skirt

Recessed Casters

Seismic Legs, 6"

Clear Sliding Rear Doors (Solid Hinged on 36" Display Cases)

Reflective Sliding Rear Doors (Solid Hinged on 36" Display Cases)

LED Lights Below Shelves

Reflective End Glass - Curved (Pair)

Reflective End Glass - Square (Pair)

Solid End Panels (Mirrored) (Pair)

Joining Kit, Heated to Refrigerated (Solid with Mirrored Panel)

Joining Kit for Continuous Line-Ups (N/A with Casters)

Joining Kit for Continuous Line-Ups (N/A with Casters) with Glass Divider

Joining Kit for Continuous Line-Ups (N/A with Casters) with Solid Divider

Front Cart Bumper

Front Wire Basket (Dry Goods Only)



Dry



Heated



Refrigerated

NEW VISION SERIES

SLIDE-IN Square (S) or Curved (C) End Profile

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
VRSS3660S-SLD / VRSS3660C-SLD	36" x 33" x 71.6"	120/60/1	535
VRSS4860S-SLD / VRSS4860C-SLD	47.25" x 33" x 71.6"	208-240/60/1	620
VRSS6060S-SLD / VRSS6060C-SLD	59.25" x 33" x 71.6"	208-240/60/1	755
VRSS7260S-SLD / VRSS7260C-SLD	71.25" x 33" x 71.6"	208-240/60/1	845
DRY SELF-SERVE 🔒			
VNSS3660C-SLD / VNSS3660S-SLD	36" x 33" x 60"	120/60/1	445
VNSS4860C-SLD / VNSS4860S-SLD	47.25" x 33" x 60"	120/60/1	535
VNSS6060C-SLD / VNSS6060S-SLD	59.25" x 33" x 60"	120/60/1	665
VNSS7260C-SLD / VNSS7260S-SLD	71.25" x 33" x 60"	120/60/1	755
HEATED SELF-SERVE 🔥			
VHSS2460C-SLD / VHSS2460S-SLD	24" x 33" x 60"	208-240/60/1	310
VHSS3660C-SLD / VHSS3660S-SLD	36" x 33" x 60"	208-240/60/1	355
VHSS4860C-SLD / VHSS4860S-SLD	47.25" x 33" x 60"	208-240/60/1	490

OPTIONS

- Graphics Package
- Laminate Base
 - Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
 - Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
- Stainless Steel Exterior Finish
- Stainless Steel Interior (Including Shelving)
- Slanted Milk Crate Deck
- Clear Sliding Rear Doors (Solid Hinged on 36" Display Cases)
- Reflective Sliding Rear Doors (Solid Hinged on 36" Display Cases)
- Self-Cleaning Condenser
- Additional Lighted (LED) Shelf
- Additional Shelf (Per Tier, No Light)
- Additional Stainless Steel Shelf (Per Tier, No Light)
- LED Lights Below Shelves
- Stainless Steel Shelving (In Lieu of Black) per Shelf
- White Interior (Including Shelving)
- Glass Shelving (In Lieu of Black) per Shelf
- Reflective End Glass (Pair)
- Solid End Panels (Mirrored) (Pair)
- Peg Hooks (Per Tier)
- Roll-Down Security Cover (Square End Profile) (Black)
- Roll-Down Security Cover (Square End Profile) (White)
- Roll-Down Security Cover (Square End Profile) (Gray)
- Removable Security Cover – Black Polycarbonate



Model VRSS4860C-SLD
Counter not included



Model VHSS4860S-SLD
Counter not included

🔒 Dry
🔥 Heated
❄️ Refrigerated

All specifications subject to change without notice.



The Signature of Quality

NEW VISION FLEX

VISION SERIES FLEX Square End Profile



Model VFSS4878S
(Heated Mode)



Model VFSS4878S
(Refrigerated Mode)



Model VFSS3660S-SLD

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
FLOOR MODEL - DRY, HEATED, REFRIGERATED SELF-SERVE   			
VFSS3660S	36" x 33" x 60"	208-240/60/1	500
VFSS4860S	48" x 33" x 60"	208-240/60/1	590
VFSS3678S	36" x 33" x 78"	208-240/60/1	525
VFSS4878S	48" x 33" x 78"	208-240/60/1	615
SLIDE-IN MODEL - DRY, HEATED, REFRIGERATED SELF-SERVE   			
VFSS3660S-SLD	36.25" x 33" x 69.62"	208-240/60/1	500
VFSS4860S-SLD	47.25" x 33" x 69.62"	208-240/60/1	590

OPTIONS

- 3500K LED Lights Below Shelves
- Self-Cleaning Condenser
- Stainless Steel Exterior Finish
- Premium Exterior Laminate
- Graphics Package
- Solid End Panels (Mirrored Interior)
- Reflective End Glass
- Solid, Sliding Rear Doors (Solid Swinging Doors on 36" Cases)
- 6" Legs (152mm)
- Seismic Legs
- Skirt w/ 4" Casters or Legs
- 2 1/2" (63.5mm) Recessed Casters (Self-Contained Models Only)
- 4" (101.6mm) Casters (Self-Contained Models Only)
- Front Wire Display Basket
- Front Cart Bumper
- Roll-Down Locking Security Cover (Black, White, or Gray)
- Black Polycarbonate Removable Locking Security Cover

 Dry  Heated  Refrigerated

VISION SERIES

VISION SERIES REFRIGERATED SLIM-LINE

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
VRSL3660S	36" x 24" x 60"	120/60/1	500
VRSL4860S	48" x 24" x 60"	208-240/60/1	590
VRSL6060S	60" x 24" x 60"	208-240/60/1	750
VRSL7260S	72" x 24" x 60"	208-240/60/1	810
VRSL3678S	36" x 24" x 78"	120/60/1	525
VRSL4878S	48" x 24" x 78"	208-240/60/1	615
VRSL6078S	60" x 24" x 78"	208-240/60/1	775
VRSL7278S	72" x 24" x 78"	208-240/60/1	835

OPTIONS

- White Interior (Including Shelves)
- Stainless Steel Interior (Including Shelves)
- Stainless Steel or Glass Shelves in Lieu of Black
- 3500K LED Lights Below Shelves
- Additional Lighted 3500K LED Shelf
- Self-Cleaning Condenser
- Stainless Steel Exterior Finish
- Premium Exterior Laminate
- Graphics Package
- Solid End Panels (Mirrored Interior)
- Reflective End Glass
- Clear or Reflective Glass, Sliding Rear Doors (Solid Hinged on 36" Cases)
- 6" Legs (152mm)
- Seismic Legs
- Skirt w/ 4" Casters or Legs
- 2 1/2" (63.5mm) Recessed or 4" (101.6mm) Casters (Self-Contained Models Only) (Weight Limits May Apply)
- Joining Kit for Continuous Line-Ups (Not Available with Casters)
- Front Wire Display Basket
- Front Cart Bumper
- Roll-Down Locking Security Cover (Black, White, or Gray)
- Black Polycarbonate Removable Locking Security Cover



Model VRSL7278S



Model VRSL7260S



The Signature of Quality



Model VRSL3683S-MLK

VISION SERIES

VISION SERIES REFRIGERATED MILK

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
VRSL3683S-MLK	36" x 24" x 82.75"	120/60/1	500

OPTIONS

- Black Interior (Including Shelves)
- Stainless Steel Interior (Including Shelves)
- Stainless Steel Or Glass Shelves in Lieu of White
- 3500K LED Lights Below Shelves
- Additional Lighted 3500K LED Shelf
- Self-Cleaning Condenser
- Stainless Steel Exterior Finish
- Premium Exterior Laminate
- Graphics Package
- Solid End Panels (Mirrored Interior)
- Reflective End Glass
- Clear or Reflective Glass, Sliding Rear Doors (Solid Hinged on 36" Cases)
- 6" Legs (152mm)
- Seismic Legs
- Skirt w/ 4" Casters Or Legs
- 2 1/2" (63.5mm) Recessed or 4" (101.6mm) Casters (Self-Contained Models Only) (Weight Limits May Apply)
- Joining Kit for Continuous Line-Ups (Not Available with Casters)
- Front Wire Display Basket
- Front Cart Bumper
- Roll-Down Locking Security Cover (Black, White, or Gray)
- Black Polycarbonate Removable Locking Security Cover

DRY Dry 🔥 Heated ❄️ Refrigerated

SPECIALTY DISPLAY CASES

MULTI-PURPOSE MILK

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
LMDM4878SC	49.7" x 40.2" x 78"	208-240/60/1	1150

OPTIONS

Graphic Wrap
Laminate Base
Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
Stainless Steel In Lieu of Laminate
6" legs (Comes Standard with Recessed Casters)
Seismic Legs
Black Interior (Including Shelving)
Stainless Steel Interior (Including Shelving)
Sliding Rear Access Doors (Clear) (Includes Door Lock)
Sliding Rear Access Doors (Reflective) (Includes Door Lock)
17" additional shelf with LED Light (Single Layer of Milk Crates) Stainless Steel
17" additional shelf with LED Light (Single Layer of Milk Crates) Black
17" additional shelf with LED Light (Single Layer of Milk Crates) White
Reflective End Glass (Pair)
Rear Door Locks (Standard with Security covers)
Removable Security Cover (Black Polycarbonate)
Roll-Down Security Cover (Black)
Roll-Down Security Cover (White)



Model LMDM4878SC

SPECIALTY DISPLAY CASES

HIGH-PROFILE MULTI-DECK *(Remote Only)*

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
LMD4878R	49.8" x 38" x 78"	120/60/1	1,011
LMD7278R	73.8" x 38" x 78"	120/60/1	1,275
LMD9678R	97.8" x 38" x 78"	120/60/1	1,538

OPTIONS

Laminate Base
Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
Stainless Steel Exterior Finish In Lieu of Laminate
Black Interior (Includes Shelving)
Stainless Steel Interior (Includes Shelving)
Condensate Pump
Indoor Remote Condensing Unit
Outdoor Remote Condensing Unit
Top Mount Condensing Unit (Includes Condensate Pump) (Contact Factory for Electrical Requirements)
Stainless Shelves In Lieu of White (Per Tier)
Reflective Glass Ends (Pair)
Joining Kit for Continuous Line-Ups (N/A with Casters)
Deli Meat Pegs
Removable Security Cover (Black Polycarbonate)
Top Mount Shroud (For Top Condensing Unit Option) (Black)
Top Mount Shroud (For Top Condensing Unit Option) (Stainless Steel)



Model LMDM4878SC
Shown with graphic wrap



Model LMD7278R



The Signature of Quality



Model LPRSS4

SPECIALTY DISPLAY CASES

LOW PROFILE

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
LPRSS3	36" x 34" x 46"	120/60/1	470
LPRSS4	48" x 34" x 46"	120/60/1	550
LPRSS5	60" x 34" x 46"	208-240/60/1	625
LPRSS6	72" x 34" x 46"	208-240/60/1	715

OPTIONS

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)

Stainless Steel Base In Lieu of Laminate

2 1/2" Casters (Includes Cord and Plug)

4" Casters (Includes Cord and Plug)

6" Legs

6" Legs with Skirt

Recessed Casters (Includes Cord and Plug)

Seismic Legs

Stainless Steel Interior (Includes Shelves)

Rear Access Solid Sliding Doors

Condensate Evaporator Assembly - Required if No Drain Available

(LPRSS5, LPRSS6, and Remote Display Cases only) (Field Install Kit, Dedicated 120V / 15A Circuit Required)"

Condensate Pump (Standard on LPRSS5 and LPRSS6 and Remote Display Cases)

Front Condensing Unit Air Discharge

Rear Air Intake and Discharge

Remote Refrigeration with Indoor Condensing Unit (EEV Included)

Remote Refrigeration with Outdoor Condensing Unit (EEV Included)

Remote Refrigeration without Compressor Supplied (EEV Included)

Glass Shelves - In Lieu of Black (Per Tier)

Stainless Shelves - In Lieu of Black (Per Tier)

Two-Tier Stainless Steel Display Step In Lieu of Shelving

Pair of Flush End Panels for Counter Installations (Includes Mirrored Interior)

Reflective End Glass (Pair)

Joining Kit for Continuous Line-ups (N/A with Casters)

Removable Security Cover (Black Polycarbonate)

Sound Deadening Kit



Dry



Heated



Refrigerated

SPECIALTY DISPLAY CASES

ISLAND

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
IMSS60SC-2	60" x 40" x 55"	208-240/60/1	860
IMSS60SC-3	60" x 40" x 60"	208-240/60/1	864
IMSS84SC-2	84" x 40" x 55"	208-240/60/1	1,000
IMSS84SC-3	84" x 40" x 60"	208-240/60/1	1,112
IMSS120SC-2	120.5" x 40.5" x 57"	208-240/60/1	1,375
IMSS120SC-3	120.5" x 40.5" x 62"	208-240/60/1	1,569

OPTIONS

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)

Graphic Wrap Band

Graphic Wrap Band/Base

Graphic Wrap Band/Base/Canopy

Special Base Color - Powder Coat Finish (Contact Factory)

Stainless Steel Band

Stainless Steel Base

Stainless Steel Canopy

Stainless Steel Tower and Stainless Steel Shelves

Top Chase Kit (Black 4" x 4" x 10' Long)

Top Chase Kit (White 4" x 4" x 10' Long)

Top Chase Kit (Stainless Steel 4" x 4" x 10' Long)

Top-Mounted Condensate Pump Drain Line Exit

Top-Mounted Electrical Exit (For Hard-Wire)

Top-Mounted Refrigeration Exit (Remote Only)

Seismic Legs

Recessed Casters (Includes Cord and Plug)

4" Casters (Includes Cord and Plug)

6" Legs

Condenser Air Filter

Condensate Drain Manifold (In Lieu of Condensate Pump or Pan)

High Capacity Condensate Evaporator Assembly (Field Install) (Separate 208/240V, 20A Circuit Required)

Model IMSS60SC-2, IMSS84SC-2, IMSS120SC-2 and Remote Models come standard with Condensate Pump

Remote Refrigeration with Indoor Condensing Unit (EEV Included)

Remote Refrigeration with Outdoor Condensing Unit (EEV Included)

Remote Refrigeration without Compressor Supplied (EEV Included)

Cord and Plug

Cart Bumper (Black)

Price Tag Molding



Model IMSS60SC-2



Model IMSS84SC-2



Model IMSS120SC-3



The Signature of Quality



Model ECSS40SC

SPECIALTY DISPLAY CASES

END CAP

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
ECSS40SC	40" x 40" x 60"	208-240/60/1	743
ECSS60SC	60" x 40" x 60"	208-240/60/1	937

OPTIONS

- Laminate Base
 - Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
 - Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
- Graphic Wrap Band
- Graphic Wrap Band/Base
- Graphic Wrap Band/Base/Canopy
- Special Base Color - Powder Coat Finish (Contact Factory)
- Stainless Steel Band
- Stainless Steel Base
- Stainless Steel Canopy
- Stainless Steel Tower and Stainless Steel Shelves
- Top Chase Kit (Black 4" x 4" x 10' Long)
- Top Chase Kit (White 4" x 4" x 10' Long)
- Top Chase Kit (Stainless Steel 4" x 4" x 10' Long)
- Top-Mounted Condensate Pump Drain Line Exit
- Top-Mounted Electrical Exit (For Hard-Wire)
- Top-Mounted Refrigeration Exit (Remote Only)
- Seismic Legs
- Recessed Casters (Includes Cord and Plug)
- 4" Casters (Includes Cord and Plug)
- 6" Legs
- Condenser Air Filter
- Condensate Drain Manifold (In Lieu of Condensate Pump or Pan)
- Condensate Evaporator Assembly – High Capacity (ECSS60 only) (240V / 20A Circuit Required)
- Condensate Evaporator Assembly – Required if No Drain Available (Field Install Kit, Dedicated 120V / 15A Circuit Required)
- ECSS40SC, ECSS60SC and Remote Models Come Standard with Condensate Pump (Drain Required)
- Remote Refrigeration with Indoor Condensing Unit (EEV Included)
- Remote Refrigeration with Outdoor Condensing Unit (EEV Included)
- Remote Refrigeration without Compressor Supplied (EEV Included)
- Cord and Plug
- Cart Bumper (Black)
- Price Tag Molding

DRY Dry 🔥 Heated ❄️ Refrigerated

SPECIALTY DISPLAY CASES

HYBRID

MODEL (L X D X H) ELECTRICAL SHIP WEIGHT

REFRIGERATED SERVICE OVER REFRIGERATED SELF-SERVE ❄️❄️

CRR3628/RSS3SC	36.25" x 43.25" x 72.5"	120/60/1	847
CRR4828/RSS4SC	48" x 43.25" x 72.5"	120/60/1	1,010

DRY SERVICE OVER REFRIGERATED SELF-SERVE DRY ❄️

CD3628/RSS3SC	36.25" x 39" x 69.75"	120/60/1	847
CD4828/RSS4SC	48" x 39" x 69.75"	120/60/1	1,010

DRY SELF-SERVE OVER REFRIGERATED SELF-SERVE DRY ❄️

CD3628SS/RSS3SC	36.25" x 39" x 69.75"	120/60/1	764
CD4828SS/RSS4SC	48" x 39" x 69.75"	120/60/1	900

HEATED SERVICE OVER REFRIGERATED SELF-SERVE 🔥❄️

CH3628/RSS3SC	36.25" x 39" x 69.75"	120/60/1	790
CH4828/RSS4SC	48" x 39" x 69.75"	120/60/1	939

HEATED SELF-SERVE OVER REFRIGERATED SELF-SERVE 🔥❄️

CH3628SS/RSS3SC	36.25" x 39" x 69.75"	120/60/1	790
CH4828SS/RSS4SC	48" x 39" x 69.75"	120/60/1	935

OPTIONS *Top Display Case*

- Glass Shelves (N/A Heated Display Cases)
- Reflective Ends (Pair)
- Reflective Rear Doors (Pair)

OPTIONS *Bottom Display Case*

- Laminate Base
 - Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
 - Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
- Stainless Steel Base in Lieu of Laminate
- Stainless Steel Trim - In Lieu of Black
- 2 1/2" Casters
- 4" Casters
- 6" Legs
- Seismic Legs
- Rear Door Lock
- Solid Sliding Rear Doors, (N/A CRR Top Display)
- Stainless Steel Step Riser In Lieu of Shelves
- Reflective End Glass (Pair)
- Energy Saving Night Curtain
- Removable Security Cover (Black Polycarbonate)



Model CRR3628/RSS3SC



Model CD3628SS/RSS3SC



Model CH3628/RSS3SC

DRY Dry 🔥 Heated ❄️ Refrigerated



The Signature of Quality

SPECIALTY DISPLAY CASES

CONVERTIBLE SERVICE OVER REFRIGERATED SELF-SERVE ❄️



Model SSRC5052



Model SSRC5952

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
SSRC2452	24" x 34" x 52"	120/60/1	480
SSRC3652	36" x 34" x 52"	120/60/1	631
SSRC5052	50" x 34" x 52"	208-240/60/1	782
SSRC5952	59" x 34" x 52"	208-240/60/1	836
SSRC7752	77" x 34" x 52"	208-240/60/1	1,018

OPTIONS Top Display Case

Glass Shelves (One Tier)

Reflective Rear Doors

OPTIONS Bottom Display Case

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)

Stainless Steel Base In Lieu of Laminate

Recessed Casters (Includes Cord and Plug)

4" Casters (Includes Cord and Plug)

4" Casters with Skirt (Includes Cord and Plug)

6" Legs

6" Legs with Skirt

Seismic Legs

Stainless Steel Interior Includes Steps

Solid Rear Sliding Access Doors

Condensate Evaporator Assembly – Required If No Drain Available (Field Install Kit, Dedicated 120V / 15A Circuit Required)

Condensate Pump (In Lieu of Pan) (Standard on Remote Display Cases)

Remote Refrigeration with Indoor Condensing Unit (EEV Included)

Remote Refrigeration with Outdoor Condensing Unit (EEV Included)

Remote Refrigeration without Compressor Supplied (EEV Included)

Black Wire Shelf (or Glass) with Light In Lieu of Display Steps

Reflective End Glass (Top and Bottom Sections) (Pair)

Cord and Plug

Energy Saving Night Curtain

Front Wire Basket for Dry Goods

Rear Wrapping Board

Removable Security Cover (Black Polycarbonate)



Dry



Heated



Refrigerated

SPECIALTY DISPLAY CASES

**PREPARED FOODS REFRIGERATED
SELF-SERVE ❄️**

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
SSRPF3652	36" x 34" x 52"	120/60/1	590
SSRPF5052	50" x 34" x 52"	208-240/60/1	765
SSRPF5952	59" x 34" x 52"	208-240/60/1	845
SSRPF7752	77" x 34" x 52"	208-240/60/1	1,010

OPTIONS

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)

Stainless Steel Base In Lieu of Laminate

Stainless Steel Top In Lieu of Black Top

Recessed Casters (Includes Cord and Plug)

4" Casters (Includes Cord and Plug)

4" Casters with Skirt (Includes Cord and Plug)

6" Legs

6" Legs with Skirt

Seismic Legs

Stainless Steel Interior (Includes Shelves)

White Interior (Includes Shelves)

Solid Rear Sliding Access Doors

Condensate Evaporator Assembly – Required If No Drain Available (Field Install Kit, Dedicated 120V / 15A Circuit Required) (Remote Only)

Condensate Pump (In Lieu of Pan) (remote standard with Condensate Pump)

Remote Refrigeration with Indoor Condensing Unit (EEV Included)

Remote Refrigeration with Outdoor Condensing Unit (EEV Included)

Remote Refrigeration without Compressor Supplied (EEV Included)

Glass Shelves with Light In Lieu of Solid Shelves (Per Tier)

Stainless Steel Shelves (In Lieu of Black Shelves) (Per Tier)

Reflective End Glass (Pair)

Joining Kit for Continuous Line-ups (N/A with Casters)

Cord and Plug

Energy Saving Night Curtain

Front Wire Basket for Dry Goods

Rear Vent Exhaust Extension (Adds 4" to Rear of Display Case) (Rear Doors N/A)

Removable Security Cover (Black Polycarbonate)



Model SSRPF5952



The Signature of Quality



Model SSRVS5942

SPECIALTY DISPLAY CASES

VERSATILE SERVICE TOP OVER REFRIGERATED SELF-SERVE ❄️

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
SSRVS3642	36" x 34" x 42"	120/60/1	590
SSRVS5042	50" x 34" x 42"	208-240/60/1	735
SSRVS5942	59" x 34" x 42"	208-240/60/1	845
SSRVS7742	77" x 34" x 42"	208-240/60/1	975

OPTIONS

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)"

Stainless Steel Base In Lieu of Laminate

Recessed Casters (Includes Cord and Plug)

4" Casters (Includes Cord and Plug)

4" Casters with Skirt (Includes Cord and Plug)

6" Legs

6" Legs with Skirt

Seismic Legs

Stainless Steel Interior (Includes Shelves)

White Interior (Includes Shelves)

Solid Rear Sliding Access Doors

Condensate Evaporator Assembly – Required If No Drain Available (Field Install Kit, Dedicated 120V / 15A Circuit Required) (Remote Only)

Condensate Pump (In Lieu of Pan) (Remote Standard with Condensate Pump)

Remote Refrigeration with Indoor Condensing Unit (EEV Included) Standard with Condensate Pump

Remote Refrigeration with Outdoor Condensing Unit (EEV Included) Remote Display Case Standard with Condensate Pump

Remote Refrigeration without Compressor Supplied (EEV Included) Standard with Condensate Pump

Glass Shelves with Light In Lieu of Solid Shelves (Per Tier)

Reflective End Glass (Pair)

Joining Kit for Continuous Line-ups (N/A with Casters)

Cord and Plug

Energy Saving Night Curtain

Front Wire Basket for Dry Goods

Rear Vent Exhaust Extension (Adds 4" to Rear of Display Case) (Rear Doors N/A)

Security Night Cover (Black Polycarbonate)



Dry



Heated



Refrigerated

SPECIALTY DISPLAY CASES

SANDWICH OR SALAD PREP OVER REFRIGERATED SELF-SERVE ❄️

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
SSRSP5052	50" x 34" x 52"	208-240/60/1	710
SSRSP5952	59" x 34" x 52"	208-240/60/1	735
SSRSP7752	77" x 34" x 52"	208-240/60/1	940

OPTIONS

Laminate Base

Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)

Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)

Stainless Steel Base In Lieu of Laminate

Recessed Casters (Includes Cord and Plug)

4" Casters (Includes Cord and Plug)

4" Casters with Skirt (Includes Cord and Plug)

6" Legs

6" Legs with Skirt

Seismic Legs

Stainless Steel Interior (Includes Shelves)

White Interior (Includes Shelves)

Solid Rear Sliding Access Doors for Bottom Section

Condensate Evaporator Assembly – Required If No Drain Available (Field Install Kit, Dedicated 120V / 15A Circuit Required) (Remote Only)"

Condensate Pump (In Lieu of Pan) (remote standard with Condensate Pump)

Rear Refrigeration Storage (Includes Rear Sliding Door and Storage Enclosure) (N/A with Two-Tier Display Riser Option)

Remote Refrigeration with Indoor Condensing Unit (EEV Included) Standard with Condensate Pump

Remote Refrigeration with Outdoor Condensing Unit (EEV Included) Standard with Condensate Pump

Remote Refrigeration without Compressor Supplied (EEV Included) Standard with Condensate Pump

Glass Shelves with Light In Lieu of Solid Shelves (Per Tier)

Two-Tier Black Step Riser In Lieu of Shelf

Two-Tier Stainless Step Riser In Lieu of Shelf

Reflective End Glass (Top and Bottom Sections) (Pair)

Joining Kit for Continuous Line-ups (N/A with Casters)

Cord and Plug

Front Wire Basket for Dry Goods

Security Night Cover (Black Polycarbonate)

Sound Deadening Kit



Model SSRSP5952



Model SSRSP5952





The Signature of Quality



Model CRB4828SS



Model CD4828SS



Model CH3628SS
Counter not included

SPECIALTY DISPLAY CASES

COUNTERTOP

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SERVICE – REAR MOUNT ❄️			
CRR3628	36" x 29.7" x 28"	120/60/1	390
CRR4828	48" x 29.7" x 28"	120/60/1	450
REFRIGERATED SELF-SERVE – REAR MOUNT ❄️			
CRR3628SS	36" x 29.7" x 28"	120/60/1	400
CRR4828SS	48" x 29.7" x 28"	120/60/1	460
REFRIGERATED SERVICE – BOTTOM MOUNT ❄️			
CRB3628	36" x 29.7" x 28"	120/60/1	390
CRB4828	48" x 29.7" x 28"	120/60/1	450
REFRIGERATED SELF-SERVE – BOTTOM MOUNT ❄️			
CRB3628SS	36" x 29.7" x 28"	120/60/1	497
CRB4828SS	48" x 29.7" x 28"	120/60/1	460
DRY SERVICE 🔒			
CD3628	36" x 29.7" x 28"	120/60/1	275
CD4828	48" x 29.7" x 28"	120/60/1	350
DRY – SELF-SERVE 🔒			
CD3628SS	36" x 29.7" x 28"	120/60/1	275
CD4828SS	48" x 29.7" x 28"	120/60/1	350
HEATED SERVICE 🔥			
CH2428	24" x 29.7" x 28"	120/60/1	290
CH3628	36" x 29.7" x 28"	120/60/1	333
CH4828	48" x 29.7" x 28"	120/60/1	375
HEATED – SELF-SERVE 🔥			
CH2428SSD	24" x 29.7" x 28"	120/60/1	290
CH3628SSD	36" x 29.7" x 28"	120/60/1	333
CH4828SSD	48" x 29.7" x 28"	120/60/1	375
OPTIONS			
Glass Shelves (Set) - Not Available on Heated Display Case			
Solid Insulated End Panel (For Heated Display Case Lineup with Refrigerated / Ambient Display Case)			
Reflective Ends (Pair)			
Reflective Rear Doors			
Remote Refrigeration without Compressor Supplied (EEV Included)			
Remote Refrigeration with Outdoor Condensing Unit (EEV Included)			
Remote Refrigeration with Indoor Condensing Unit (EEV Included)			
Front Mount Control (On Heated Display Cases Only)			
Joining Kit for Continuous Line-ups			
Pedestal and Cutting Board 36" dry only to match Refrigerated Display Case			
Pedestal and Cutting Board 48" dry only to match Refrigerated Display Case			
Rear Door Lock (Service Units Only)			

DRY Dry 🔥 Heated ❄️ Refrigerated



UNDER-COUNTER & IN-COUNTER DISPLAY CASES

UNDER-COUNTER/IN-COUNTER REFRIGERATED SELF-SERVE

Square (S) or Curved (C) End Profile

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
UNDER-COUNTER REFRIGERATED ❄️			
UCR3633C	35.7" x 34" x 32.5"	120/60/1	450
UCR4833C	47.7" x 34" x 32.5"	120/60/1	605
UCR6033C	59.7" x 34" x 32.5"	120/60/1	760
UCR7233C	71.7" x 34" x 32.5"	120/60/1	915
UCR3633S	35.7" x 34" x 32.5"	120/60/1	450
UCR4833S	47.7" x 34" x 32.5"	120/60/1	605
UCR6033S	59.7" x 34" x 32.5"	120/60/1	760
UCR7233S	71.7" x 34" x 32.5"	120/60/1	915
UNDER-COUNTER REFRIGERATED SLIM-LINE ❄️			
UCRSL3633C	35.7" x 24" x 32.5"	120/60/1	365
UCRSL4833C	47.7" x 24" x 32.5"	120/60/1	495
UCRSL6033C	59.7" x 24" x 32.5"	120/60/1	620
UCRSL7233C	71.7" x 24" x 32.5"	120/60/1	750
UCRSL3633S	35.7" x 24" x 32.5"	120/60/1	365
UCRSL4833S	47.7" x 24" x 32.5"	120/60/1	495
UCRSL6033S	59.7" x 24" x 32.5"	120/60/1	620
UCRSL7233S	71.7" x 24" x 32.5"	120/60/1	750

OPTIONS

Laminate Base
Formica® Standard Offerings (Finishings Ending in -58, -NT and -43)
Wilsonart® Standard Offerings (Finishings Ending in -38 and -60)
Stainless Steel Exterior In Lieu of Laminate
6" Legs
Stainless Steel Interior (Includes Step Riser)
White Interior (Includes Step Riser)
Condensate Evaporator Assembly – Required If No Drain Available (Field Install Kit, Dedicated 120V / 15A Circuit Required) (Remote Only)
Condensate Pump (In Lieu of Pan) (Remote Standard with Condensate Pump)
Remote Refrigeration with Indoor Condensing Unit (EEV Included) Standard with Condensate Pump
Remote Refrigeration with Outdoor Condensing Unit (EEV Included) Standard with Condensate Pump
Remote Refrigeration without Compressor Supplied (EEV Included) Standard with Condensate Pump
Glass Shelf In Lieu of Step Riser
Black Metal Shelf In Lieu of Step Riser
Reflective Curved End Glass (Pair)
Energy Saving Night Curtain
Removable Security Cover (Black Polycarbonate)



Model UCRSL4833C



Model UCRSL4833S



The Signature of Quality[®]



Model VRSS7278C-QS



ELEMENTS COUNTERTOP
Counter not included



Model ELPRSS4 / ESSRC5052



Model EIMSS84SC-3

VISION SERIES QUICK-SHIP DISPLAY CASES

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SELF-SERVE ❄️			
VRSS3678C - QS	36" x 33" x 78"	120/60/1	490
VRSS4878C - QS	47.25" x 33" x 78"	208-240/60/1	580
VRSS7278C - QS	71.25" x 33" x 78"	208-240/60/1	800

*Includes Self-Cleaning Condenser, Curved Glass Ends, and Shelf Lights

ELEMENTS DISPLAY CASES

MODEL	(L X D X H)	ELECTRICAL	SHIP WEIGHT
REFRIGERATED SERVICE – REAR MOUNT ❄️			
ERR3628	36" x 29.7" x 28"	120/60/1	390
ERR4828	48" x 29.7" x 28"	120/60/1	450
REFRIGERATED SELF-SERVE – REAR MOUNT ❄️			
ERR3628SS	36" x 29.7" x 28"	120/60/1	400
ERR4828SS	48" x 29.7" x 28"	120/60/1	460
HEATED SERVICE 🔥			
EH2428	24" x 29.7" x 28"	120/60/1	290
EH3628	36" x 29.7" x 28"	120/60/1	297
EH4828	48" x 29.7" x 28"	120/60/1	375
HEATED SELF-SERVE 🔥			
EH2428SSD	24" x 29.7" x 28"	120/60/1	290
EH3628SSD	36" x 29.7" x 28"	120/60/1	333
EH4828SSD	48" x 29.7" x 28"	120/60/1	375
LOW PROFILE REFRIGERATED SELF-SERVE ❄️			
ELPRSS3	34.6" x 34" x 46"	120/60/1	469
ELPRSS4	46.6" x 34" x 46"	120/60/1	576
ELPRSS6	70.6" x 34" x 46"	208-240/60/1	750

Condensate Evaporator Assembly Field Install Kit
(Dedicated 120V / 15A Circuit Required) (for ELPRSS6 only)
*Optional Field Install Caster Kit - Shipped Loose

CONVERTIBLE SERVICE OVER REFRIGERATED SELF-SERVE ❄️			
ESSRC5052	50" x 34" x 52"	208-240/60/1	720
ESSRC5952	59" x 34" x 52"	208-240/60/1	845
ESSRC7752	77" x 34" x 52"	208-240/60/1	970


*Optional Field Install Caster Kit - Shipped Loose

ISLAND REFRIGERATED SELF-SERVE ❄️			
EIMSS60SC-3	60" x 40" x 60"	208-240/60/1	910
EIMSS84SC-3	84" x 40" x 60"	208-240/60/1	1375

Condensate Evaporator Assembly - Required if No Drain Available
(Field Install Kit, Dedicated 240V 20A Circuit Required)
*Optional Field Install Caster Kit - Shipped Loose

DRY Dry 🔥 Heated ❄️ Refrigerated

DISPLAY CASE APPLICATIONS





FEDERAL INDUSTRIES

A Standex Company

215 Federal Avenue, Belleville, Wisconsin, 53508-9201

Phone: 800-356-4206 | Fax: 608-424-3234

Email: geninfo@federalind.com | Website: federalind.com

The Signature of Quality[®]

